



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

of it was of a pale Brightness, like that of burnished or new-washed Silver. It darted out of my Sight with a seeming Coruscation, like that of Star-shooting in the Night; but had a Body much larger, and a Train much longer, than any thing of that Kind I had ever seen before. At my coming home, one *Brown* assured me, he had seen the same thing, for the Continuance of a Minute; and that the Body and Train appeared to him to be about twenty Foot long, and seemed to him to fall to the Ground somewhere about the Kennel-garden, whither I accompanied him in Expectation of finding some of those Jellies which are supposed to owe their Beings to such Meteors: But we might have searched long enough, as I understood the next Day, when Mr. *Edgcombe* informed me, that he and another Gentleman had seen the same Appearance at the same time about fifteen Miles from us, steering the same Course from East to the West, and vanished from them between *Walkhampton* and *Oakhampton*: They gave the same Account of its Figure, Length and Colour.

XIV. *An Account of a Luminous Appearance in the Sky, seen at London on Thursday March 13. 1734-5. by John Bevis, M. D.*

AS I was observing *Mars* near a small fixt Star, then in the West, on the Top of my House in *Buckingham-street*, about five Minutes after Eight, equal Time; happening to turn my Face Southward, I was surpris'd with an uncommon bright Glade of

Y y

Light.

Light. It was strait, about $2\frac{1}{2}$ Degrees broad, and 110, or 120 Degrees long, ill defined at either End, but pretty well at the Sides, that is, much as the common Rainbow, or one of those Pyramids which are used to dart up from the Horizon in an *Aurora Borealis*, which Light it resembled in all respects, except in its Place and Position, and that this was steady, and altogether without that tremulous kind of Motion, which usually accompanies that. Besides *Saturn*, *Mars*, *Venus*, and the fixt Stars, there was then no other Light in the Sky, nor the least Cloud, nor any of that horizontal Blackness which we see Northward in the *Aurora*. The Stars were as discernible through it, as if nothing had been there. A Gentleman who was with me, fancied it to be the Tail of a Comet; but as neither he nor myself had ever seen one, I gave but little Heed to that Conjecture: However, I carefully directed a 17 Foot Glass to all Parts of its western Extremity, but could discern nothing like a *Nucleus*. When I first saw it, it extended itself from about the Mid-way between *Aldebaran*, and *Orion's* Left Shoulder, through *Gemini* a little under β , and so on through *Cancer* and *Leo*, just above *Cauda Leonis*, till it arrived between *Vindematrix* and *Coma Berenices*, where it ended very dilutedly. In about half an Hour it grew dim about the Middle, where in a short time it separated in two, or rather became quite dark there; but then methought the disjoined Parts were more luminous than before; but they too in a little while after grew dimmer, and shortened away, on to their remote Extremities, which remained visible the longest; the Western one about Nine o'Clock, the

Time

Time of its Extinction, being near *Orion's* Right Shoulder, and the other near the Left Knee of *Boötes*; so that this Meteor seems pretty nearly to have accompanied the Earth in its diurnal Motion, and to have had little or no Motion besides. I have looked for this Light since, but could find nothing like it.

The Day was exceeding fine, and by my Journal I find, that,

At Noon, the Barometer was	29.98.
Thermometer	57.
Wind	East.
Decl. of the Needle	14° 10'.
At 10 at Night, Barometer	29.86.
Thermometer	57.5.
Decl. of the Needle	13° 50'.

XV. *An Account of the Case of a Calculus making its Way through an old Cicatrix in the Perinæum, by David Hartley, M. A. F. R. S.*

Jan. 12. 1740.

William Farman, of the Parish of *Bayton* in *Suffolk*, was cut for the Stone about 15 Years ago, and a large Stone taken from him.

The said *William Farman* says, that he continued easy for about four Years after he was cut; that the Wound was quite healed up, and that he made Water in the natural Way, without any Leakage at the Wound.

In *July* last, he says, he felt great Pain at the Place where he was cut, and that it was much swelled.